	Application No.	Applicant(s)
Notice of Allowability		
	10/007,708 Examiner	JACOBSEN ET AL. Art Unit
	David A. Damoro	2056
	David A. Rogers	2856
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the or other appropriate communi GHTS. This application is sub	nis application. If not included cation will be mailed in due course. THIS
1. This communication is responsive to 10 January 2005.		
2. The allowed claim(s) is/are <u>1,4,5 and 13-20</u> .		
3. The drawings filed on 13 March 2003 are accepted by the Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority unapprint and all black bl	been received. been received in Application	No
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Surr Paper No./Mi 8), 7. ☐ Examiner's Ar	rmal Patent Application (PTO-152) nmary (PTO-413), ail Date mendment/Comment ratement of Reasons for Allowance

Art Unit: 2856

DETAILED ACTION

Election/Restrictions

1. Claim 1 is allowable. Accordingly, the linking claim restriction requirement, mailed 30 September 2002, is hereby withdrawn and claims 13-18 are rejoined.

Allowable Subject Matter

2. Claims 1, 4, 5, and 13-20 are allowed.

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David A. Rogers whose telephone number is (571) 272-2205. The examiner can normally be reached on Monday - Friday (0730 - 1600).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron E. Williams can be reached on (571) 272-2208. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

HEZRON WILLIAMS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800

Application/Control Number: 10/007,708

Art Unit: 2856

97,708 Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see

http://pair-direct.uspto.gov. Should you have questions on access to the

Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-

9197 (toll-free).

darc

14 February 2005

HEZRON WILLIAMS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800